






Pushing Performance

People | Power | Partnership


HARTING Electric GmbH & Co. KG

Content of FOC tool case 20 99 000 3015




Artikel	Bild	Menge
FOC crimping tool GI		1
FOC Microstrip		1
Stripping tool		1
Optical Power Meter OPM4-1D		1
Adaptor OPM-ST-8800-00-0202		1
Adaptor OPM for 1,25 mm to 2,5 mm		1

Curing oven 24xLWL / 24 V		1
SC / Han® multicontact module Adaptor for curing oven		1
LC-Adaptor for curing oven		1
ST-Adaptor for curing oven		1
Polish tool for multicontact module		
Polish tool for ST	1	
Polish tool for SC	1	
Polish tool for LC	1	
Coupling sleeve ST		2
Coupling sleeve SC		2
Coupling sleeve LC		2

<p>Ritzwerkzeug</p>		<p>1</p>
<p>Epoxy adhesive for glass fibre (4g)</p>		<p>2</p>
<p>Documentation</p>		<p>1</p>
<p>Universal knife</p>		<p>1</p>
<p>FOC polishing plate</p>		<p>1</p>
<p>Scissors for Kevlar</p>		<p>1</p>
<p>Scissors for cables</p>		<p>1</p>

<p>Adaptor LC für OPM 4-1D</p>		<p>1</p>
<p>FO Test cable GI 50/125 LC/ST</p>		<p>2</p>
<p>FO Test cable GI 50/125 LC/DIN fe</p>		<p>2</p>
<p>FO Test cable GI 50/125 LC/DIN m</p>		<p>2</p>
<p>FO Test cable GI 50/125 LC/SC</p>		<p>2</p>
<p>FO Test cable GI 50/125 LC/LC</p>		<p>2</p>
<p>Polishing paper 1µm / 9µm</p>		<p>5</p>
<p>Fibre Checker 650 nm</p>		<p>1</p>
<p>Light Source 850 nm</p>		<p>1</p>
<p>Box</p>		<p>1</p>

Stripping tool 0,4 mm HCS		1
Syringe 2 ml		1
Hollow needle for syringe		1
Case including inlays		1
Aerosol for alcohol		1
One Click Cleaner 1,25 mm		1
One Click Cleaner 2,5 mm		1

1,25 mm Adaptor for Fibre Checker		1
Container for fibre ends		1
Microscope 200x incl. 1,25 mm und 2,5 mm Adaptor		1

The illustrated pictures may deviate from the actual products within the tool case.